The Narragansett Electric Company d/b/a Rhode Island Energy RIPUC Docket No. 23-35-EE Attachment PUC 3-16 Page 1 of 6

3/4 INCH CLOSED CELL FOAM PIPE INSULATION ACCESS - ROOF STRIP BEYOND 5 FT ACCESS - ROOF STRIP UP TO 5 FT ACCESS THRU PLASTER & LATH ACCESS WITH ROOF VENT ATTIC DAMMING ATTIC FLAT - 10" FLOORED R-32 DENSE CELLULOSE ATTIC FLAT - 10" OPEN R-37 CELLULOSE ATTIC FLAT - 11" FLOORED R-35 DENSE CELLULOSE ATTIC FLAT - 11" OPEN R-40 CELLULOSE ATTIC FLAT - 12" FLOORED R-38 DENSE CELLULOSE ATTIC FLAT - 12" OPEN R-42 CELLULOSE ATTIC FLAT - 13" FLOORED R-42 DENSE CELLULOSE ATTIC FLAT - 13" OPEN R-45 CELLULOSE ATTIC FLAT - 14" FLOORED R-49 DENSE CELLULOSE ATTIC FLAT - 14" OPEN R-49 CELLULOSE ATTIC FLAT - 15" OPEN R-49 CELLULOSE ATTIC FLAT - 16" OPEN R-60 CELLULOSE ATTIC FLAT - 3" OPEN R-11 CELLULOSE ATTIC FLAT - 4" FLOORED R-13 DENSE CELLULOSE ATTIC FLAT - 4" OPEN R-14 CELLULOSE ATTIC FLAT - 5" FLOORED R-16 DENSE CELLULOSE ATTIC FLAT - 5" OPEN R-19 CELLULOSE ATTIC FLAT - 6" FLOORED R-19 DENSE CELLULOSE ATTIC FLAT - 6" OPEN R-22 CELLULOSE ATTIC FLAT - 7" FLOORED R-22 DENSE CELLULOSE ATTIC FLAT - 7" OPEN R-26 CELLULOSE ATTIC FLAT - 8" FLOORED R-25 DENSE CELLULOSE ATTIC FLAT - 8" OPEN R-30 CELLULOSE ATTIC FLAT - 9" FLOORED R-28 DENSE CELLULOSE ATTIC FLAT - 9" OPEN R-33 CELLULOSE ATTIC FLAT - R-13 FACED FIBERGLASS ATTIC FLAT - R-13 UNFACED FIBERGLASS ATTIC FLAT - R-19 FACED FIBERGLASS ATTIC FLAT - R-19 UNFACED FIBERGLASS ATTIC FLAT - R-30 FACED FIBERGLASS ATTIC FLAT - R-30 UNFACED FIBERGLASS ATTIC FLAT - R-38 FACED FIBERGLASS ATTIC FLAT - R-38 UNFACED FIBERGLASS ATTIC HATCH - INSULATE \checkmark ATTIC HATCH - WEATHERSTRIP BALLOON FRAMING BLOCKING BASEMENT CEILING - ENCAPSULATED R19 FG BATT **BASEMENT CEILING - R13 FIBERGLASS BATT** BASEMENT CEILING - R-19 FG BATT RANDOM **BASEMENT CEILING - R19 FIBERGLASS BATT BASEMENT CEILING - R30 FIBERGLASS BATT**

Description of Weatherization measures

1/2 INCH CLOSED CELL FOAM PIPE INSULATION

Air Sealing Measures

The Narragansett Electric Company d/b/a Rhode Island Energy RIPUC Docket No. 23-35-EE Attachment PUC 3-16 Page 2 of 6

BASEMENT CEILING: PSK PAPER **BASEMENT SILLS - R-19 FIBERGLASS BATT BASEMENT SILLS - RIGID BOARD INSULATION** BULKHEAD DOOR SITE-BUILT COMMON WALL - 1" RIGID BOARD COMMON WALL - 1.5" RIGID BOARD COMMON WALL - 2" RIGID BOARD COMMON WALL - 4" CELLULOSE COMMON WALL - INTERIOR DRILL AND PLUG COMMON WALL - R13 FIBERGLASS AND RIGID BOARD COMMON WALL - R-13 FIBERGLASS BATT COMMON WALL - R19 FIBERGLASS AND RIGID BOARD COMMON WALL - R19 FIBERGLASS BATT COMMON WALL - R30 FIBERGLASS AND RIGID BOARD COMMON WALL - R30 FIBERGLASS BATT CRAWLSPACE - 1" RIGID BOARD ON CEILING CRAWLSPACE - 1.5" RIGID BOARD ON CEILING **CRAWLSPACE - 10MIL GROUND COVER** CRAWLSPACE - 2" RIGID BOARD ON CEILING **CRAWLSPACE - INSULATE DOOR CRAWLSPACE - MAKE ACCESS DOOR CRAWLSPACE - R13 FIBERGLASS BATT** CRAWLSPACE - R19 FIBERGLASS AND RIGID BOARD **CRAWLSPACE - R-19 FIBERGLASS BATT CRAWLSPACE - R-19 FIBERGLASS RANDOM** CRAWLSPACE - R30 FG AND RIGID BOARD **CRAWLSPACE - R-30 FIBERGLASS BATT CRAWLSPACE - R-30 FIBERGLASS RANDOM CRAWLSPACE CEILING - R30 SPRAYFOAM** CRAWLSPACE WALL - 2" RIGID BOARD **CRAWLSPACE WALL - R21 SPRAYFOAM DOOR - INSULATE** DOOR SWEEP DRYER VENT THRU WALL DRYER VENT TO OUTSIDE DUCT INSULATION DUCT INSULATION - <50 ft DUCT INSULATION - >50 & <200 ft DUCT SEALING EXTERIOR FLOOR OVERHANG FINISHED CEILING ACCESS FINISHED KNEEWALL ACCESS FLAPPER VENT ONLY 4 INCH FLAPPER VENT ONLY 6 INCH FLIP/SLASH/FIX EXISTING INSULATION FSK PAPER FOR AIR BARRIER GABLE VENT 12 X 12 GABLE VENT 12 X 18 GABLE VENT 12 X 24

The Narragansett Electric Company d/b/a Rhode Island Energy RIPUC Docket No. 23-35-EE Attachment PUC 3-16 Page 3 of 6

GABLE VENT 18 X 24 GARAGE CEILING - 10" DENSE CELLULOSE GARAGE CEILING - 12" DENSE CELLULOSE GARAGE CEILING - 4" DENSE CELLULOSE GARAGE CEILING - 6" DENSE CELLULOSE GARAGE CEILING - 8" DENSE CELLULOSE GARAGE CEILING: 11" DENSE CELLULOSE GARAGE CEILING: 5" DENSE CELLULOSE GARAGE CEILING: 7" DENSE CELLULOSE GARAGE CEILING: 9" DENSE CELLULOSE HEAT PIPE INSUL 1 1/2 INCH TEE-ELBOW HEAT PIPE INSUL 1 1/4 INCH TEE-ELBOW HEAT PIPE INSUL 1 INCH TEE-ELBOW HEAT PIPE INSUL 1/2" TEE-ELB HEAT PIPE INSUL 2 1/2 INCH TEE-ELBOW HEAT PIPE INSUL 2 INCH TEE-ELBOW HEAT PIPE INSUL 3 1/2 INCH TEE-ELBOW HEAT PIPE INSUL 3 INCH TEE-ELBOW HEAT PIPE INSUL 3/4 INCH TEE-ELBOW HEAT PIPE INSULATION 1 1/2" **HEAT PIPE INSULATION 1 1/4** HEAT PIPE INSULATION 1 INCH **HEAT PIPE INSULATION 1/2 HEAT PIPE INSULATION 2 1/2"** HEAT PIPE INSULATION 2" HEAT PIPE INSULATION 3 1/2" **HEAT PIPE INSULATION 3" HEAT PIPE INSULATION 3/4 HEATING PIPE INSULATION 4"** HEATING PIPE INSULATION 4" TEE-ELB **HEATING PIPE INSULATION 5"** HEATING PIPE INSULATION 5" TEE-ELB **HEATING PIPE INSULATION 6"** HEATING PIPE INSULATION 6" TEE-ELB HOME AIR SEALING INSULATE BULKHEAD DOOR INSULATE PLASTERED STAIRWELL **INSULATED BATH EXHAUST HOSE 4 INCH INSULATED BATH EXHAUST HOSE 6 INCH INSULATED FLEX DUCT 16"** INSULATED FLEX DUCT 8" OR 10" KITCHEN EXHAUST THRU ROOF KITCHEN VENTING ELECTRIC RANGE KNEEWALL - 1" RIGID BOARD KNEEWALL - 1.5" RIGID BOARD KNEEWALL - 2" RIGID BOARD KNEEWALL - 3" FIBERGLASS R-13 KNEEWALL - 4" DENSE R-13 CELLULOSE KNEEWALL - 5" DENSE R-16 CELLULOSE

/

The Narragansett Electric Company d/b/a Rhode Island Energy RIPUC Docket No. 23-35-EE Attachment PUC 3-16 Page 4 of 6

KNEEWALL - 6" DENSE R-19 CELLULOSE KNEEWALL - 6" FIBERGLASS R-19 KNEEWALL - R13 FIBERGLASS AND RIGID BOARD KNEEWALL FLOOR - 10" DENSE R-32 CELLULOSE KNEEWALL FLOOR - 10" OPEN R-37 CELLULOSE KNEEWALL FLOOR - 11" DENSE R-35 CELLULOSE KNEEWALL FLOOR - 11" OPEN R-40 CELLULOSE KNEEWALL FLOOR - 12" DENSE R-38 CELLULOSE KNEEWALL FLOOR - 12" FACED R-38 FG BATT KNEEWALL FLOOR - 12" OPEN R-42 CELLULOSE KNEEWALL FLOOR - 12" UNFACED R-38 FG BATT KNEEWALL FLOOR - 13" DENSE R-42 CELLULOSE KNEEWALL FLOOR - 13" OPEN R-45 CELLULOSE KNEEWALL FLOOR - 14" DENSE R-49 CELLULOSE KNEEWALL FLOOR - 14" OPEN R-49 CELLULOSE KNEEWALL FLOOR - 3" FACED R-13 FG BATT KNEEWALL FLOOR - 3" OPEN R-10 CELLULOSE KNEEWALL FLOOR - 3" UNFACED R-13 FG BATT KNEEWALL FLOOR - 4" DENSE R-13 CELLULOSE KNEEWALL FLOOR - 4" OPEN R-14 CELLULOSE KNEEWALL FLOOR - 5" DENSE R-16 CELLULOSE KNEEWALL FLOOR - 5" OPEN R-19 CELLULOSE KNEEWALL FLOOR - 6" DENSE R-19 CELLULOSE KNEEWALL FLOOR - 6" FACED R-19 FG BATT KNEEWALL FLOOR - 6" OPEN R-22 CELLULOSE KNEEWALL FLOOR - 6" UNFACED R-19 FG BATT KNEEWALL FLOOR - 7" DENSE R-22 CELLULOSE KNEEWALL FLOOR - 7" OPEN R-26 CELLULOSE KNEEWALL FLOOR - 8" DENSE R-25 CELLULOSE KNEEWALL FLOOR - 8" OPEN R-30 CELLULOSE KNEEWALL FLOOR - 9" DENSE R-28 CELLULOSE KNEEWALL FLOOR - 9" FACED R-30 FG BATT KNEEWALL FLOOR - 9" OPEN R-33 CELLULOSE KNEEWALL FLOOR - 9" UNFACED R-30 FG BATT **KNEEWALL HATCH - SEAL & INSULATE** KNEEWALL SLOPE - 1" RIGID BOARD KNEEWALL SLOPE - 1.5" RIGID BOARD KNEEWALL SLOPE - 2" RIGID BOARD KNEEWALL SLOPE - 6" FG BATT & RIGID BOARD **KNEEWALL SLOPE - 6" FIBERGLASS R19** KNEEWALL SLOPE - 9" FG BATT **KNEEWALL SLOPE - RIGID BOARD** KNEEWALL SLOPE- RIGID BOARD & 10 INCH CELLULOSE KNEEWALL SLOPE- RIGID BOARD & 4 INCH CELLULOSE KNEEWALL SLOPE- RIGID BOARD & 6 INCH CELLULOSE KNEEWALL SLOPE- RIGID BOARD & 8 INCH CELLULOSE MANUFACTURED HOME FLOOR R-19 SPRAY FOAM **OVERHANG - 1" RIGID BOARD OVERHANG - 1.5" RIGID BOARD**

The Narragansett Electric Company d/b/a Rhode Island Energy RIPUC Docket No. 23-35-EE Attachment PUC 3-16 Page 5 of 6

OVERHANG - 10" DENSE R32 CELLULOSE **OVERHANG - 12" DENSE R38 CELLULOSE OVERHANG - 2" RIGID BOARD** OVERHANG - 4" DENSE R14 CELLULOSE **OVERHANG - 6" DENSE R21 CELLULOSE OVERHANG - 7" DENSE R22 CELLULOSE OVERHANG - 8" DENSE R28 CELLULOSE OVERHANG - R13 FG AND RIGID BOARD OVERHANG - R19 FG AND RIGID BOARD** OVERHANG - R30 FG AND RIGID BOARD PERFORATED SOFFIT PANELS **PIPE TENTING** PULL-DOWN STAIR - THERMADOME PULL-DOWN STAIR - THERMADOME BUILT-UP PULL-DOWN STAIR - THERMAL TENT RECESSED LIGHT COVER NO INCENTIVE RECESSED LIGHT COVERS REMOVE EXISTING INSULATION **RIDGE VENT ROOF VENT 12 INCH ROOF VENT 8 INCH** SHEATHING ACCESS SLOPE - 10" DENSE R-32 CELLULOSE SLOPE - 10" INT DRILL R-32 CELLULOSE SLOPE - 4" DENSE R-13 CELLULOSE SLOPE - 4" INT DRILL R-13 CELLULOSE SLOPE - 5" DENSE R-16 CELLULOSE SLOPE - 5" INT DRILL R-16 CELLULOSE SLOPE - 6" DENSE R-19 CELLULOSE SLOPE - 6" INT DRILL R-19 CELLULOSE SLOPE - 7" DENSE R-22 CELLULOSE SLOPE - 7" INT DRILL R-22 CELLULOSE SLOPE - 8" DENSE R-26 CELLULOSE SLOPE - 8" INT DRILL R-26 CELLULOSE SLOPE - 9" DENSE R-29 CELLULOSE SLOPE - 9" INT DRILL R-29 CELLULOSE **SLOPE - R13 FIBERGLASS SLOPE - R19 FIBERGLASS BATTS SLOPE - R30 FIBERGLASS** SOFFIT VENTS 4 X 16 SOFFIT VENTS 6 X 16 SOFFIT VENTS 8 X 16 TEMPORARY ACCESS THRU DRYWALL TEMPORARY ATTIC ACCESS THRU ROOF **TRANSITIONS - DENSE PACK TRANSITIONS - FLOORED TRANSITIONS - OPEN** TURBINE ROOF VENT UNFINISHED PLYWOOD ACCESS

The Narragansett Electric Company d/b/a Rhode Island Energy RIPUC Docket No. 23-35-EE Attachment PUC 3-16 Page 6 of 6

VENT BATH FAN 4 INCH VENT BATH FAN 6 INCH VENT BATH FAN THRU GABLE 6 INCH VENT BATH FAN THRU SOFFIT 4 INCH VENT BATH FAN THRU SOFFIT 6 INCH VENT INLINE FAN 4 INCH **VENTILATION CHUTES** WALLS - 3RD STORY ADDER WALLS - ASPHALT SIDED WALLS - BLOWN FIBERGLASS WALLS - EXTERIOR DRILL AND PLUG WALLS - MULTI LAYER (3 OR MORE) WALLS - SQUARE CHANNEL VINYL WALLS - THIN BATT WALLS ALUMINUM SIDED WALLS ASBESTOS SIDED WALLS INTERIOR DRILL AND PLUG WALLS VINYL SIDED WALLS WOOD SIDED WEATHERSTRIP AND ADD DOOR SWEEP WEATHERSTRIP DOOR WHOLE HOUSE FAN COVER

✓ ✓