

KEOUGH & SWEENEY, LTD.

ATTORNEYS AND COUNSELORS AT LAW
41 MENDON AVENUE
PAWTUCKET, RHODE ISLAND 02861
TELEPHONE (401) 724-3600
FACSIMILE (401) 724-9909
www.keoughsweeney.com

JOSEPH A. KEOUGH JR.*
JEROME V. SWEENEY III*

SEAN P. KEOUGH*
STACI L. KOLB

JEROME V. SWEENEY II
OF COUNSEL

*ADMITTED TO PRACTICE IN
RHODE ISLAND & MASSACHUSETTS

RAYNHAM OFFICE:
90 NEW STATE HIGHWAY
RAYNHAM, MA 02109
TEL. (508) 822-2813
FAX (508) 822-2832

BOSTON OFFICE:
171 MILK STREET
SUITE 30
BOSTON, MA 02109
TEL. (617) 574-0054
FAX (617) 451-1914

September 2, 2015

Ms. Luly Massaro, Clerk
Division of Public Utilities and Carriers
89 Jefferson Boulevard
Warwick, RI 02888

Re: *Pawtucket Water Supply Board, General Rate Filing*
Docket No. 4550

Dear Luly:

Enclosed for filing please find an original and nine (9) copies of the following document:

1. The Pawtucket Water Supply Board's Responses to the Division of Public Utilities and Carriers' Data Requests (Set 6).

Please note that an electronic copy of this document has been provided to the service list.

Thank you for your attention to this matter.

Sincerely,



Joseph A. Keough Jr.

JAK/kf
Enclosures
cc: Karen Lyons, Esquire

STATE OF RHODE ISLAND PUBLIC UTILITIES COMMISSION

DOCKET NO. 4550

Response Of The Pawtucket Water Supply Board

To The Division of Public Utilities And Carriers'

Data Requests

Set 6

DIV. 6-1: According the rebuttal testimony of Mr. Benson at page 1, lines 26 through 28, he states that PWSB has accepted Mr. Morgan's use of the 3-year average to derive other operating revenues. However, on Sch. 1.0, page 4 of Mr. Woodcock's rebuttal testimony, the \$23,036 adjustment related to Misc. Non-operating Revenue was not included in deriving the annual level of revenue. Please explain why the \$23,036 adjustment was not included for Misc. Non-operating Revenue while adjustments were made to Penalties and Service Installation Revenue to reflect the 3-year average.

Response: While the adjustment is shown on the far right, it was inadvertently deleted from the calculation of the proposed Rate Year Amount. PWSB does agree to this adjustment and will include it in any subsequent filings (including compliance filings).

Prepared by: C. Woodcock

STATE OF RHODE ISLAND PUBLIC UTILITIES COMMISSION

DOCKET NO. 4550

Response Of The Pawtucket Water Supply Board

To The Division of Public Utilities And Carriers'

Data Requests

Set 6

DIV. 6-2: Reference Sch. 2.1 of Mr. Woodcock's rebuttal testimony. Please explain why the retail water sales for small (5/8 -1") customers for FY 2012 to FY 2014 are different than the amounts included on the same schedule that is attached to Mr. Woodcock's direct testimony.

Response: Please see the supplemental response to Division Data Request 1-9. As noted in that response PWSB found that their past consumption reports needed to remove an averaging calculation that caused a very minor variation. The retail water sales values included in the rebuttal testimony contain the corrected sales values, and thus reflect some of these minor variations.

Prepared by: C. Woodcock

STATE OF RHODE ISLAND PUBLIC UTILITIES COMMISSION

DOCKET NO. 4550

Response Of The Pawtucket Water Supply Board

To The Division of Public Utilities And Carriers'

Data Requests

Set 6

DIV. 6-3: Reference the Consumption Charge section of Schedule 10.0 of Mr. Woodcock's rebuttal testimony.

- a) The sum of the amounts for Medium (1.5 – 2" &By pass) and the Large (3" and up) equals 826,793 instead of 821,930. Please indicate what should be the correct amount.
- b) If 826,793 is the correct amount, please indicate if the FY 2015 and FY 2016 amounts for Large (>1") customers on Sch. 2.1 should be changed to 826,793.

Response: a. The correct number is 821,930. The sum of the Medium and Large (that equal a different number) were left over from earlier projections. Because we are proposing to consolidate these two classes of retail customers, the values for these had not been updated. As shown in the final column of Schedule 10, the incorrect values were not used and have no impact on the revenue calculations.

b. As noted above, the 826,793 value is not correct. The amount on Schedule 2.1 is correct.

Prepared by: C. Woodcock

STATE OF RHODE ISLAND PUBLIC UTILITIES COMMISSION

DOCKET NO. 4550

Response Of The Pawtucket Water Supply Board

To The Division of Public Utilities And Carriers'

Data Requests

Set 6

CERTIFICATION

I hereby certify that on September 2, 2015, I sent a copy of the within to all parties set forth on the attached Service List by electronic mail and copies to Luly Massaro, Commission Clerk, by electronic mail and regular mail.

Parties/Address	E-mail Distribution	Phone
Joseph A. Keough, Jr., Esq. Keough & Sweeney 41 Mendon Ave. Pawtucket, RI 02861	jkeoughjr@keoughsweeney.com	401-724-3600
James L. DeCelles, P.E. Chief Engineer Pawtucket Water Supply Board 85 Branch St. Pawtucket, RI 02860	decelles@pwsb.org	401-729-5001
	rbenson@pwsb.org	
Karen Lyons, Esq. Dept. of Attorney General 150 South Main St. Providence, RI 02903	klyons@riag.ri.gov	401-222-2424
	steve.scialabba@dpuc.ri.gov	
	john.bell@dpuc.ri.gov	
	Al.mancini@dpuc.ri.gov	
	Pat.smith@dpuc.ri.gov	
	Jmunoz@riag.ri.gov	
Christopher Woodcock Woodcock & Associates, Inc. 18 Increase Ward Drive Northborough, MA 01532	Woodcock@w-a.com	508-393-3337
David Bebyn B&E Consulting 21 Dryden Lane Providence, RI 02904	dbebyn@beconsulting.biz	401-785-0800
Thomas S. Catlin Exeter Associates, Inc. 10480 Little Patuxent Parkway Suite 300 Columbia, MD 21044	tcatlin@exeterassociates.com	410-992-7500
	jmierzwa@exeterassociates.com	
	lmorgan@exeterassociates.com	

STATE OF RHODE ISLAND PUBLIC UTILITIES COMMISSION

DOCKET NO. 4550

Response Of The Pawtucket Water Supply Board

To The Division of Public Utilities And Carriers'

Data Requests

Set 6

Michael McElroy, Esquire Schacht & McElroy PO Box 6721 Providence, RI 02940-6721	Michael@McElroyLawOffice.com	401-351-4100
Thomas Hefner, Esquire Town of Cumberland	thefner@cumberlandri.org	
David Russell	Davidrussell015@comcast.net	
File original and nine (9) copies w/: Luly E. Massaro, Commission Clerk Public Utilities Commission 89 Jefferson Boulevard Warwick, RI 02888	Luly.massaro@puc.ri.gov	401-780-2104
	Amy.dalessandro@puc.ri.gov	401-941-1691
	Sharon.colbycamara@puc.ri.gov	



Joseph A. Keough, Jr., Esquire # 4925
KEOUGH & SWEENEY, LTD.
41 Mendon Avenue
Pawtucket, RI 02861
(401) 724-3600 (phone)
(401) 724-9909 (fax)
jkeoughjr@keoughsweeney.com